



Changing the
way you *think*
about cleaning

4D CLEANING

i-Solutions

INQUIRE. INNOVATE. INSPIRE

the i-team family network

Index

	P		P
foreword	03	i-light	55
i-vac 5	05	i-store	59
i-vac 6	09	i-fibre	63
i-vac 9B	13	i-suit	67
i-vac 30UR	17	i-flight	71
i-scrub 21B	21	wallcharger	75
i-scrub 30EM	25	cups	78
i-scrub 26H	29	ATP+swaps	79
i-gum	33	i-bag	80
i-mopXL	37	wallmount	81
i-land	45	made blue	82
i-mopXXL	51	i-team story	83

Our bright future, together!

Revolutionary products, inspiring people. The i-team is a global family of innovative cleaning sales & distribution partners that are dedicated to delivering intelligent, convenient and high-quality cleaning machines, products and concepts to the industry.



Continuously easy.

i-vac 5[®]

The i-vac 5 is a powerhouse machine that gets the job done. A well trusted name in the community, the i-vac 5 has surprised every user with its proven mobility, design and power. The i-vac 5 is used for offices, carpet cleaning, households, cabinets, wardrobes, and much more.





Carry-on everywhere

A sturdy and ergonomic main handle provides a freedom of mobility you haven't experienced before. The i-vac 5 goes wherever you go!



3 Pieces wand & flexible hose

Double extrusion for extra stability at both ends as they are the most stressed areas.



Bag with lock

5 liter bag volume with a lock to avoid dust leakage when taking out the bag. You can choose between a paper bag, or a microfiber bag.



Integrated tool holders

All of the accessories and necessary equipment supplied with the machine can be stored on the machine.



Canister & more

Egg shaped canister for optimal working in smaller areas and close to body carrying. Lighted on/off switch for easy check over the phone in case of problems. Detachable powercord.

Available in private label for our customers in 36 and 108 batches. Customize your machinery with your own names and logo's to project your company/industry image.

"This machine is simple, sturdy and reliable. Incredible for everyday use at the office. Couldn't be more happy!"

Voltage

230 V
240 V
115 V
110 V

Art code

C05.I-V. 1115C
C05.I-V.1215C
C05.I-V.2515C
C05.I-V. 4615C

TECHNICAL SPECIFICATIONS

Handling weight	4,8 Kg
Weight In box	8.6 Kg
Size machine L*W*H	38 X 33 X 38 CM
Size box L*W*H	40 X33 X 52 CM
Power (Watt)	850 W
Material	PP
Water Lift	1800 mm
Air Flow	50 L/sec 52 L/sec
Sound Level	62 Db 63 Db
Cable Length	8 Meters
Capacity (Paper Bag)	5 Liters
Hose Length	1,8 Meters
Diamter of Tools	32 mm
CBM	0,0686
20' Container loading quality	360
Warranty	1 year





We trust
our family.

i-vac 6[®]

The i-vac 6 is the cornerstone of the modern day vacuum cleaner. All of the i-vac 6 functions and elements were created and designed with the feedback from users, and their ideas and insights that come from working different machines years on end.






Optional floor tool

Flat nose tool without the need to adjust on different surfaces. Due to a very low profile, it can even reach underneath certain difficult areas. The flexible nylon material of the handle makes it robust and sturdy for the contract cleaning industry, especially combined with the detachable cable.

The filtration on this machine is upgradeable from standard, to HEPA, to ULPA. Available in private label for our customers in 20 and 100 batches. Customize your machinery with your own names and logo's to project your company/industry image.



Whizzo

Patented Whizzo indicator. It makes a loud high tone when the bag is full or the vacuum is clogged. Additionally, it supplies the motor with cooling air to avoid temperature peaks.



Fragrance cassette

Install a simple fragrance cassette inside the unit for a soothing, distinctive scent that fills the room with a pleasant aroma.



Resilient body

Non-breakable material and all attachments are assembled with screws, instead of rivets. Parking position for safe working on stairs. Wheels are made from shock absorbing materials.



Office time cleaning

Choose between the high power or low decibel settings. Low power can be a real lifesaver for operational daytime cleaning in busy offices.

"I can finally reach beneath the couches in the break room. Love working with this guy!"

Voltage

230 V
240 V
115 V
110 V

Art Code

C06.I-V.1115C
C06.I-V.1215C
c06.I-V.2515C (USA)
C06.I-V.4615C

TECHNICAL SPECIFICATIONS

Handling weight	6,8 Kg
Weight with Hose / Wand /cable	9,8 Kg
Weight In box	11,1 Kg
Size machine L*W*H	39 X 38 X 36 CM
Size box L*W*H	40 X 40 X 52 CM
Power (Watt)	1100 W 1050 W
Material	PP
Water Lift 1100 W	2500 mm 1600 mm
Water Lift 1050 W	2400 mm 1600 mm
Air Flow	50 L/sec 52 L/sec
Sound Level	62 Db 58 Db
Cable Length	15 Meters
Capacity (Paper Bag)	6 Liters
Hose Length	2.5 Meters
Diamter of Tools	32 mm
CBM	0,0832
20' Container loading quality	300
Warranty	1 year





Battery
powered
freedom.

i-vac 9B[®]

The i-vac 9B is an innovative vacuum cleaner that gets the job done with a powerful engine, and a longer runtime than other cordless machines. Powered by i-mopXXL batteries for a longer duration and the freedom of mobility across any type of surface.



i-mop batteries

Two-slot system for flexible runtime of either 40 (one grey battery) or 80 minutes (two grey batteries). No longer are you bound to cords or outlets!



Optional power nozzle

This extra floor tool simultaneously adjusts the carpet and removes dirt and dust. Powered by the battery.



High powered engine

High powered motor reaches about 80% (indication) of the suction power that cable operated vacuums use, without the strain of being tied down to one place.



Smart charger

Battery management system that never overpowers itself for maximum life-span. The system contains an integrated percentage indicator.

“Don’t think I’ve ever had a more flexible vacuum cleaner. The future is here!”

The filtration on this machine is upgradeable from standard, to HEPA, to ULPA. Available in private label for our customers in 96 batches. Customize your machinery with your own names and logo’s to project your company/industry image.

Voltage

230 V
240 V
115 V
110 V

Art Code

C9B.I-V.1115C
C9B.I-V.1215C
C9B.I-V.2515C (USA)
C9B.I-V.4615C

TECHNICAL SPECIFICATIONS

Handling weight	6,8 Kg
Weight without Hose/Wand	7.5 Kg
Weight with two batteries	11 Kg
Weight In box	19 Kg
Size machine L*W*H	45 X 45 X 41 CM
Size box L*W*H	56 X 48 X 64 CM
Power (Watt)	450 W
Material	PP
Water Lift	1250 mm
Air Flow	N/A
Sound Level	58 Db
Capacity (Paper Bag)	9 Liters
Hose Length	2.5 Meters
Diameter of Tools	32 mm
Battery spec.	Lion 7S4P 25.2v 14Ah
Running Time Single grey battery	40 minutes
Running Time Double grey battery	80 minutes
CBM	0,172
20' Container loading quality	145
Warranty	1 year





Power nozzle	Art Code
Power nozzle 230 V	PN3.FCT.1100C
Power nozzle 115 V	PN3.FCT.2500C
Power nozzle 24 V	PN3.FCT.0000C

Power Nozzle	
Voltage	DC 24v
Weight	6.0 Kg
Power (Watt)	18 W
Material	PP
Sound Level	50 Db
Diameter of access.	32 mm
Cleaning width	300 mm



Battery
24 V

On and off control at your fingertips

Height-adjustment via pedal

Led lighting for working area

Telescopic wand with integrated cable and hose



In for a smooth ride.

i-vac 30UR[®]

Vacuuming on another level. Years of innovation and development have perfected the i-vac series, and the 30 UR series is the culmination of feedback from the cleaning industry. The ergonomic handle, inspection door for blockages, soft rear castors with ball bearing, the equipment tag and the Whizzo indicator, complete this beautiful machine.





Easy repair & replacement

Quick disconnect of upper body from the motor deck for easy repair and replacement. To make life easy we inserted a detachable powercord. No technical support needed.

Whizzo

Patented Whizzo indicator: It makes a loud high tone when the bag is full or the vacuum is clogged. Additionally, it supplies the motor with cooling air to avoid temperature peaks.

Flat operation

The i-vac 30UR can operate completely flat, so you can reach all of these hard-to-reach spots such as under furniture, desks, equipment, or any other obstacles.

Reach high places

Telescopic wand to easily reach high areas and provides an ergonomical way of operating the machine.

The filtration on this machine is upgradeable from standard, to HEPA, to ULPA. Available in private label for our customers in 20 and 100 batches. Customize your machinery with your own names and logo's to project your company/industry image.

"This all-in-one vacuum cleaner really helps my posture when doing my job! No more back pain for me!"

TECHNICAL SPECIFICATIONS

Handling weight	8,8 Kg
Weight with Hose /Wand /cable	8.3 Kg
Weight In box	13 Kg
Size box L*W*H	100 X 42 X23 CM
Power (Watt)	1000
Brush Speed	3000 RPM
Material	ABS/PC
Water Lift	2000 mm
Air Flow	32 L/sec
Sound Level	69 Db
Cable Length	12 Meters
Capacity (Paper Bag)	6 Liters
Diamter of Tools	35 mm
CBM	0,0966
20' Container loading quality	255
Warranty	1 year

Voltage

230 V
240 V
115 V
110 V

Art Code

SM.I-V. 1110C
SM.I-V.1210C
SM.I-V.2510C
SM.I-V. 4610C





Small effort. Big impact.

i-scrub 21B®

Double disc action with the flexibility to even scrub areas in a vertical position. Equipped with an adjustable head & 360 degrees of free-range motion. With a powerful engine that achieves 400 RPM using two discs, it's a brilliant machine that allows the user to scrub any surface with extreme power. You can manually dose your solution with the push of a button & easily convert your machine into a hand-held unit for polishing. Powered by Li-ion battery technologies for equal power during the working time.





360 degrees of motion

The adjustable head can rotate in 360 degrees, and is so flexible: you can clean at any angle, may it be horizontal or vertical. Start scrubbing everywhere and anywhere.



Manually dose

You can manually dose your solution to your satisfaction with the push of a button. Get your areas clean on your own terms.



Dual brush heads

We have equipped the i-scrub 21B with two brush heads, for higher mechanical power and cleaning narrow gaps in sturdy areas.



Brushes & pads

A full arsenal of different brushes & pads are available for every job. Consult us for advice on which brush delivers which job the best.



Centralized controls

Centralized controls at the grip. All of your actions, switches and controls are within the reach of your fingertips.

Talk about power. With 400 RPM's, any surface will get scrubbed to the bone, and will be as clean as a whistle. Powered by Li-ion battery technology for equal power during working time.

“A great tool for my gym. Scrubbing dirty walls, equipment and floor stains all with one powerful machine. Easily clicking the head on & off for different areas. Amazing!”

Voltage

230 V
240 V
115 V
110 V

Art Code

ES2.I-V. 1110C
ES2.I-V.1210C
ES2.I-V.2510C
ES2.I-V. 4610C

TECHNICAL SPECIFICATIONS

Drive Voltage	12 V DC
Battery spec. Li-ion	14.4 V 6.6 Ah
Battery spec. Nimh	12 V 3.8 Ah
Running time Li-ion	150 Minutes
Charging time Li-ion	210 Minutes
Weight with Hose / Wand /cable	2.3 Kg
Weight In box	5.5 Kg
Height (Adjustable)	910~1270 mm
Size box L*W*H	96 X 29 X17 CM
Power (Watt)	25W
Material	ABS
Speed	300 RPM
Capacity of Tank	1.7 Liters
Noise level W/O Pump	72 dB
Noise level W/T Pump	73 dB
CBM	0,0473
20' Container loading quality	530
Warranty	1 year



Orbital power The future begins.



i-scrub 30EM®

Single-disc scrubbing has never looked so good.

Advanced orbital technology is based on 175 rpm which simulates an orbital movement of approx. 1750 with no sideforces so everybody can operate it without training. With a detachable power cord, and all of the controls inside of the head, the i-scrub 30EM is a nifty machine with a lot of power. With the water tank on top, you can mix your chemicals to perfection. And to prevent damages to furniture and walls, we've created a rubber bumper for you to work freely!





Centralized controls

Centralized controls are located in the head of the machine. All of your actions, switches and controls are within the reach of your fingertips.



Detachable solution tank

The solution tank is easily detached with a single movement. This makes it easy to fill, refill and clean the tank while on the job.



Closed off cover

The closed off cover design is to protect the engine from exposure to water. It also adds an extra protective layer to the i-scrub 30EM.



Aluminum diecast

Heavy grade aluminum die cast housing adds resistance and weight to the machine, adding to the high brush pressure, to clean more in less time.



Soft grips

The soft grips of the machine create a sense and feel of superb control and excellent ergonomics for the user.

Advanced orbital technology is based on 175 RPM. It simulates an orbital movement of approx. 1750 RPM. No sideforces so everybody can operate this with great ease!

“Incredible solution for high-pressure jobs.”

Voltage

230 V
240 V
115 V
110 V

Art Code

EM3.I-V. 1110C
EM3.I-V.1210C
EM3.I-V.2510C
EM3.I-V. 4610C

TECHNICAL SPECIFICATIONS

Weight of product	13 Kg
Weight In box	17 Kg
Height	1100 mm
Size box L*W*H	128 X 37.5 X 27 CM
Power (Watt)	250 W
Speed	175 RPM
Material	Zinc Alloy/Aluminum/ABS
Sound Level	50 Db
Cable Length	10 Meters
CBM	0,1296
20' Container loading quality	190
Warranty	1 year





A revolutionary light in the dark.



i-scrub 26H[®]

The microfiber hand range cleaner with integrated LED or black light will make sure the job gets done. Complete with patented soft-edge technology which allows the user to clean round areas. Need to reach high-up places? Just switch the handle for a telescopic tube, and you are good to go!



Microfiber pads

Premium pads with mesh backing with Trio Split Technology. Solid color exclusive microfiber material. Used for low to heavy soil levels and all applications.



Soft edge technology

Patented soft edge technology which allows the microfiber pads to clean round areas such as sinks and other curved materials.

Integrated blacklight

Make everything spotless in your washrooms by pre-examining your work with the choice between an integrated black light inside of the handle. Make the unvisable visable.

Rubber grip

A handy rubber grip will make your task a lot easier, and will not scratch, damage or cramp your most important instrument: your hands. Red, green an yellow grip available!

Type
Black Light
LED light
Without light

Art Code
ETL.I-V.1130C
ETL.I-V.1110C
ETL.I-V.1120C

TECHNICAL SPECIFICATIONS

	Black Light	LED light	Without light
Weight of product	0.32 Kg	0.32 Kg	0.32 Kg
Weight in box	3.5 Kg	3.5 Kg	3.5 Kg
Size machine L*W*H	26 x 10 x 9 CM	26 x 10 x 9 CM	26 x 10 x 9 CM
Size box L*W*H (10 pcs p/c)	113 x 26 x 11 cm	113 x 26 x 11 cm	113 x 26 x 11 cm
Battery Specifications Li-on	3.8 V 2.2 Ah	3.8V 2.2Ah	/
Power (Watt)	1W	0.2W	/
Material	ABS797+PVC	ABS797+PVC	ABS797+PVC
Running time	8Hours	40 Hours	/
CBM(10 pcs per carton)	0,036	0,036	0,036
20' Container loading quality	6900	6900	6900
Warranty	1 year	1 year	1 year



i-scrub 26H BLACK LIGHT *i-fiber not included*



i-scrub 26H LED LIGHT *i-fiber not included*



i-scrub 26H WITHOUT LIGHT *i-fiber not included*
(working hours not applicable)



Only great ideas need to stick.

i-gum®

A comfortable self contained backpack is worn by the user allowing for complete freedom of movement and easy usability. The unit is attached to an ergonomic lance designed specifically to ensure fast, reliable and easy operation with maximum chewing gum removal. At the point of contact, our specially designed brush emits a pH neutral and safe enzyme steam mixture to dissolving the chewing gum, which can then be brushed away. Beside the comfortable harness you also have the option to wheel it!





6 seconds is all it takes

The i-gum apparatus needs only 6 seconds to eliminate any unwanted sticky materials (chewing gum/stickers/lining glue). Increase your efficiency and start cutting down on waiting hours.

No water or power supply

To operate the machine, just point the lance to the area or stains that need to be cleaned and watch the i-gum perform its magic.

No matter which surface

Hardwood, soft floors, tarmac, doors, cabinets, plywood, concrete or steel. The i-gum operates at maximum capacity, and removes sticky residue anywhere and everywhere.

Centralized controls

Centralized controls are located in the head of the machine. All of your actions, switches and controls are within the reach of your fingertips.

Safe to touch

Designed to be user-friendly and to work in different environments, there are no hazardous or dangerous fumes or heat present when working with the i-gum.

“When the dust settles on an outdoor event, removing the gum residue is one of the hardest parts of the clean-up. But thanks to the i-gum, our team can clean up the location in just a single day. Perfect!”

Voltage

230 V
240 V
115 V
110 V

Art code

IGM.I-V. 1110C
IGM.I-V.1210C
IGM.I-V.2510C
IGM.I-V. 4610C

TECHNICAL SPECIFICATIONS

Weight of product	12.8 Kg
Weight In box <i>incl. fluidx4 gasx2</i>	25 Kg
Size body	36 x 30 x 57
Size with lance	36 x 30 x 113
Size box L*W*H	120 X 35 X 40 cm
Ignition battery spec. Li-ion	14.8 V 6.6 Ah 95.04 Wh
Power (Watt) of Fan	DC 12 V 4 W
Material	LLDPE, ABS, PC, PP, Aluminum
Gas Capacity	2.6 Kg/H
Tank Capacity	2.5 Ltr
CBM	0,168
20' Container loading quality	145
Warranty	1 year





Full size scrubber dryer.

i-mop XL[®]

The first of its kind, the i-mop solves the problems of floor cleaning systems by combining the flexibility of a mop with the power and speed of industrial scrubber driers. We found out that most areas are still being cleaned by mop and bucket, because other floor machines are just not flexible enough to work in most spaces. The i-mop makes it possible to clean any surface, with freedom of movement and great ease of use. No borders or boundaries. This machine isn't just designed for cleaning, it's designed for the cleaner.



350 RPM.
Full power

24/7 energy.
All day.
Every day.





Flexible and fast

The i-mop features a high speed twin brush scrubber drier deck with a working area of 46 cm (18 inches). The same as with a conventional walk behind scrubber, but with unmatched agility. The two counter rotating brushes provides a smooth experience and allows you to control the machine even with one hand. Clean around and underneath objects, just like a mop.

24/7

If you want to use this concept you need to stick to the following: always change both batteries after 60 min. (do not mind the left over power) running time. This remaining energy allows us to recharge a cycle in 1 hour for 1 hour operational use again to arrive to the system of 24/7. If you use the batteries to the max, this will not allow doing swaps in 1-hour runtimes.

Click on, click off

Fill, refill and empty the machine easily with our solutions tanks. No longer bound to installed filling stations, get your water from a sink in a pinch. Switching between chemicals in a matter of seconds by clicking on a different solution tank. Using our HACCP system to make life even easier. You will be surprised by how water efficient the i-mop is, good things really do come in smaller packages.

Flip the switch

No PhD required to operate the machine, we have done all the programming for you. A simple dial to select the desired operating mode. Aside from scrub and dry, separate scrub modes are available for intensive deep cleaning. Our eco mode allows you to save additional water when only a little is needed, and will also protect your water sensitive floors against overexposure.

I go, where you go

The i-mop has been designed in a compact and user-friendly way, so that it takes up very little floor space when not being used. Store it in a closet nearby so it is always within reach. Take it with you up and down steps and stairs. If it is still a bit heavy, why not pop off the batteries and the water? So whatever the type of job, the i-mop will be right there with you.

Voltage

230 V
240 V
115 V
110 V

Art code

IMOPXL.FCT.1100C
IMOPXL.FCT.1210C
IMOPXL.FCT.2500C
IMOPXL.I-V. 4610C

TECHNICAL SPECIFICATIONS

Weight without batteries	18.5 Kg
Weight with batteries	22.5 Kg
Weight with batteries+water	25.9 Kg
Size machine H*W*D	120 X 50 X 38 cm
Size box L*W*H	126 X 57 X 37 cm
Power (Watt)	700 W
Material	PP, Aluminum alloy
Battery Spec. Li-ion battery	22.2 V, 8.8 Ah
Running time	70 Minutes
Operation Width	46 CM
Theoretical performance	1800 square meter per hour
Practical performance	1000~1300 square meter per hour
Clean water tank	4 L
Recovery watertank	4-6 L (max. 8 L)
CBM	0,2657
20' Container loading quality	90~100 pcs
Warranty	1 year





solution tank red ● sanitary fittings & washroom floors



solution tank blue ● general low risk areas



solution tank yellow ● wash basins & washroom surfaces



solution tank green ● general food&bar use





Simply buy your own island.

i-land®



Our goal is to simplify the entire cleaning process and increase your level of joy while you clean. So for long days, huge buildings and on-site projects, you are going to need a work station that holds all of your equipment. That's why we created the i-land. An all-in-one solution, which makes sure you have everything you need in one accessible and convenient supporter. No more unproductive traveling time!



i-land L



i-land XL



i-land XXL

PRO SERIES WITH DRAWERS



i-land L Pro




i-land XL Pro



i-land XXL Pro

Create your own i-land



Equipment slots

Store your i-mop chargers right on your island. Charge your batteries on the go, set down your drink, or power your i-light directly!

Tablet bracket (optional)

For the modern day cleaner, we've equipped the i-land with a tablet bracket to easily install your iPad or other electronic device(s).

Bucket pretreat

Sealed, unbreakable pre-treatment buckets with integrated scaling inside the bucket.

TECHNICAL SPECIFICATIONS

	i-land L	i-land XL	i-land XXL
Weight	42 Kg	80 Kg	83 Kg
Size L*W*H	140 X 68 X 109 cm	165 x 68 x 109 cm	180 x 68 x 109 cm
Size box L*W*H	108 X 88 X 64 CM	122 X 101.6 X 60.5 CM	N/A
Material	LDPE	LDPE	LDPE
Drawign capacity	50+30 L	100+60 L	100+60 L
Castor size	5" (rubber)	5" (rubber)	5" (rubber)
Cable	10 meters	10 meters	10 meters
CBM	0,61	0,75	N/A
20' Container loading quality	23	20	N/A
Warranty	1 year	1 year	1 year



optional tank
optional charger
optional i-mop tank



We get to know
i-mopXL® & i-mopXXL®



Take control.



Bigger can be better.



Same brilliance. Bigger surface.

Voltage

230 V
240 V
115 V
110 V

Art code

IMOPXXL.FCT.1100C
IMOPXXL.FCT.1210C
IMOPXXL.FCT.2500C
IMOPXXL.I-V. 4610C

TECHNICAL SPECIFICATIONS

Weight without batteries	20.5 Kg
Weight with batteries	24 Kg
Weight with batteries+water	29 Kg
Size machine H*W*D	124 X 69 X 37.5 cm
Size box L*W*H	129 X 57 X 37 cm
Power (Watt)	700 W
Material	PP, Aluminum alloy
Battery Spec. Li-ion battery	25.2 V, 14 Ah
Running time	70 Minutes
Operation Width	62 CM
Theoretical performance	2350 square meter per hour
Practical performance	1400~1700 square meter per hour
Clean water tank	5 L
Recovery clean tank	6-8 L (max. 10 L)
CBM	0,34
20' Container loading quality	70
Warranty	1 year





Brighten your future.



i-light L



i-light XL

i-light®

Charged with i-mop batteries, and with power up 24/7, the i-light is great for illumination on the job. Fully equipped with the flexibility of a desk lamp, with an adjustable head & tripod, and the durability and strength of a construction light. The i-light comes in L and XL version. Don't spend your hours in the dark, turn on the i-light!





Timer function

Want to set your i-light for a limited amount of time? No problem. Just enable the timer function, set the hours & minutes, and start your routine.

i-light fixture

The integrated i-light is fixed with a heavy element on the i-cart, perfect for mobile light in dark areas.

i-mop technology

Battery empty? No worries. You can use your spare i-mop batteries, and it will work like a charm for another 12 hours. Even with one battery!

Adjustable head & height

With the i-light, you can adjust the head and the stance by simply pushing and pulling the levers at the tripod.

“i-light makes life more easy”

TECHNICAL SPECIFICATIONS

Discription

- I light basic
- I light Deluxe
- I light xl basic
- I light xl Deluxe

Art Code

- ILL.FCT.0000B
- ILL.FCT.0000D
- ILXL.FCT.0000B
- ILXL.FCT.0000D

Weight with Hose / Wand / Cable
 Weight In box
 Size machine L*W*H
 Size box L*W*H
 Weight without battery
 Weigth with batteries
 Battery Spec
 Running time one battery
 Running time two batteries
 Light Spec
 Light power
 CBM
 20' Container loading quality
 Warranty

i-light L

10.8 Kg
 38 x 30 x 21 cm
 46 X 38 X 26 cm
 5,90 Kg
 5,25 Kg
 i-scrub Li-ion W 15
 7 hours
 -
 Led 15 W
 1500~1800 Lumen
 0,0455
 550 PCS
 1 year

i-light XL

11.7 Kg
 40 x 30 x 20.5 cm
 48 x 38 x 25,5 cm
 6,61 Kg
 5,96 Kg
 i-mop Li-ion W 20
 12 hours
 25 hours
 Led 20 W
 2000~2400 Lumen
 0,0455
 550 PCS
 1 year





Infinite
space.



i-store®

Not enough room for your equipment?

We've got you covered. Store your i-range, i-mop and all of your accessories inside this handy cabinet. With room for wallchargers, pads, brushes, two i-mops and more, the i-store is the perfect storage facility in your utilities closet.





i-store

Steel storage closet. Easily built & setup. Different levels for brushes, pads, chargers. Has a built-in spot for a power outlet.



INOX cabinet

INOX storage closet. Same levels and space as the steel storage closet, but with a more robust character for a longer lifespan.



All-in-one

The i-store is the center of all of your daily needs. It fits all of your materials, chargers, brushes, cans and leaves room for more. The i-storage contains everything!



	I-store Standard	I-store Pro
Art Code	K.1.S.107.0001.0	K.1.S.107.0004.0
TECHNICAL SPECIFICATIONS		
Material	steel	inox
Weight of product	70.5 Kg	66 Kg
Weight In box (two boxes)	51.94 Kg + 23.57 Kg	48.94 Kg + 20.57 Kg
Size of product L*W*H	92 x 42 x 210 cm	92 x 42 x 210 cm
Size Big box L*W*H	202 x51 x17 cm	202 x51 x17 cm
Size Small box L*W*H	97 x 46 x26"	97 x 46 x26"
CBM	0,2911	0,2911
20' Container loading quality	85	85
Warranty	1 year	1 year

66

Saving water,
chemicals
and *time*.



i-fibre®

Microfiber cleaning has changed the industry from the moment it was introduced. Less chemicals and water usage equals a more sustainable and healthy planet. The i-team has taken this idea one step further, and created a whole series of utilities and equipment to accompany an all-in-one system simply called: i-fibre.





Quick-release

A quick-release system in the frame of the mop for a complete touch free cleaning operation!



Wallwash

The wallwash frame bends 360 degrees, perfect for cleaning walls and hard-to-reach places. Patented soft-edge technology makes it perfect for 4D cleaning.



Microfiber pads

Used for low to heavy soil levels. Features mesh backing for a quick saturation time. Designed for pre-treating in 4D cleaning systems.



Pre-treating system

The pre-treating system is a well thought out array of tools that seamlessly work together to make cleaning tasks efficient and productive. It saves water, chemicals and most of all, time. Through the special mashed backing time reduction to the minimum and equal spread of moisture.



Trio split technology

The fibre gains it's huge cleaning power by a patented trio split technology. With the integrate dirt channels it can even save the dust mopping as small particles will be captured in there. The framing is designed in a way that special support structure prevents the mop from shrinking. It always allines perfectly. Minimum garantueed washings: 750 times.

PROVEN RESULTS

Cleaning method	Traditional	4D cleaning system
Wash boards	5 minutes	3 minutes
Clean desktops	15 minutes	2 minutes
Dust mop	5 minutes	0 minutes
Wet mop	15 minutes	8 minutes
TOTAL	40 minutes	13 minutes

Art Code

E handle 48
EHANDLE\$48

E handle
EHANDLE

Plastic plate
EPOCKET

TECHNICAL SPECIFICATIONS

Weight	0.411 Kg	0.266 Kg	0.281 Kg
Weight In box (12pcs)	6 Kg	4 Kg	4 Kg
Size machine L*W*H	106 X 20 X 7.5 CM	69 X 20 X 7.5 CM	41 X 50 X 10 CM
CBM	0,0159	0,0104	0,0105
20' Container loading quality	1570	2400	1220
Warranty	1 year	1 year	1 year



Washing windows without
the struggle.



i-suit®

No more shoulder injuries and back pain while washing the windows, day-in, day-out. The i-suit feels like a mobile backpack, with a steel tube attached and bent towards a pulley mechanism. Increasing the productivity of their workers, working ergonomically and responsibly, and decreasing psychical strain, the i-suit surely is an eye catching innovation changing the way window washing is done forever.



Backpack & lance

All of the weight is centered and lifted from the middle, and allows you free movement, less strain and better visibility of your target areas.



Fast on the job

Working with the telescopic pole in combination with the i-suit, allows you to work three times as fast. No more carrying and constantly replacing a ladder to reach the spots you want to clean.



i-suit glasses

We created glasses that borrow the elements of belay glasses: the #1 product for safety and security. This allows you to concentrate, and have a great overall vision of your work area.

TECHNICAL SPECIFICATIONS

Weight In box	5.4 Kg
Size machine L*W*H	125 x 80 x 45 cm
Size box L*W*H	86 x 48 x 23 cm
Net weight with balance	3.7 Kg
Weight of balance	0.7 Kg
CBM	0,1
20' Container loading quality	250
Warranty	1 year





The sky is the limit.

i-flight®

Need to travel with your cleaning equipment, and don't want any unnecessary harm done during transport? We learned a thing or two from musicians, and hereby introduce the i-flight series. Protect your i-range machines inside of an aluminum hardware case on the go, whether it is transported by air, boat, car or even from building to building. Choose from different series depending on your wants & needs. Perfect for the cleaners on the go!



i-flight pro



i-flight lite

Aluminum hardware case

Protect your valuable i-range products inside. Great for overseas travel by air & boat. Secure the position by using the brakes above the wheels, and be rest assured your equipment is safe.

Built-in cardboard mold

Fit your i-mop inside of the case with a custom mold of the machine of your choice. For easy input and extraction of the equipment on the go!

Synthetic i-flight lite

Do you need a more flexible solution for your organization? Already thought of it. The optional i-flight lite is a designed for national and regional travel, and perfect for car rides from location to location.

Buckle up for safety

Use the buckles to secure your i-range equipment inside of the i-flight lite case, and easily snap on/off to load or unload your machine.

Art code

i-flight lite
S.72.0142.19

i-flight pro
S.72.0142.18

TECHNICAL SPECIFICATIONS

Weight	10.6Kg	29.9Kg
Size of product L*W*H	127 x 60 x 38	128 x 61 x 53 (include wheels)
CBM	0,29	0,4138
20' Container loading quality	86	60



Charging the fleet.
Straight from the
wall.

wall charger®

Space is in short supply these days. We should not waste a single inch when it comes to the limited storage space we can even get.

That's why we thought: why not use the vertical option towards the ceiling for charging your batteries? Now you can easily attach, hook-up, and power your batteries without losing space!



Multiple levels (3/4/6)

Choose how many levels of chargers you will need, and assemble them accordingly.

Battery managed system

Battery management system that never overpowers itself for maximum lifespan. The system contains an integrated charge percentage indicator.

Fixed wall charger

The same as other multiple level wall chargers, but way more flexible and can be placed anywhere with a footed fixture!



Art. no.	3 layers	4 layers	6 layers
	WR3.FCT.1110C	WR4.FCT.1110C	WR6.FCT.1110C
Spec.	3 layers	4 layers	6 layers
Handling weight			
Weight In box	8.5 Kg	10.5 Kg	15.8 Kg
Size machine L*W*H	50 X 34 X 74 CM	50 X 34 X 95 CM	50 X 35 X 137 CM
Size box L*W*H	76 X 51 X 26 CM	96 X 51 X 26 CM	139 X 51 X 26 CM
Material	LDPE 735	LDPE 735	LDPE 735
CBM	0,1008	0,1273	0,1843
20' Container loading quality	250	195	135



- Art. no.**
 72.0158.5 IMOP DIRT SCOPE 2.5 LTR
 72.0158.6 IMOP DIRT SCOPE 1 LTR
 72.0158.15 IMOP DIRT SCOPE 500ML

Cups

the Dirt challenge™



A
COMPETITIVE
MACHINE



Challenge your sales team and the non-believers with the Dirt challenge(-™). Use the i-mop and a competitive machine, and use the measurement cups to demonstrate how little water the machine actually uses and how much dirt it recovers out of the grouts and floor.



Slipmeter

Be on the safe side!

Floors are getting into unsafe conditions when they are getting cleaned and it is crucial that the moisture must be taken off as quickly as possible. The i-mop manages this in 30 seconds. Seeing is believing and with the i-mop you are always in the green.



Art. no. 72.0337.0



25 i-know swabs



Art. no. 72.0335.0

ATP+ i-know® swabs

Use ATP (Adenosine triphosphate) testing with your i-range products to show your clients and potential customers how effective they are. A rapid testing method, with minimal cost and easy to use.

Enhance cleaning and sanitation training with immediate feedback. Optimize cleaning chemicals and procedures. A way to prove if your floor is hygienically clean. It shows you why our system cleans better than others.

CSI: clean scene investigation



Art. no. 72.0336.0




Art. no. 72.0221.797

i-mop carry bag

Carry your i-mop accessoires anywhere & everywhere in your beautiful i-bag. Bring your batteries, brushes and different tanks with you on the go. Carry via shoulder strap or integrated backpack structure. It reduces the carry weight of your i-mop to 13 Kg!

Carry on.



wallmount®

Mounting for i-mop wall model

Transport your i-mop easily inside your van with the wall mount. Easily screw the holder onto the inside of your vehicle, and click the i-mop with different tanks right onto it.

Mounting for i-mop stand model


Rest your i-mop wherever you want with the stand model. Place the model in any space or room, and click the i-mop with different tanks right onto it.

Art. no. K.1.S.103.0003.797



made blue

The planet is a beautiful place. With over 7 billion people. Humans need water to live, breathe, and enjoy their lives. Worldwide 2,7 billion people suffer from a shortage of drinking water. For 780 million people this situation is permanent: each year 3,5 million people die because of this. That's why Made Blue invests in projects in developing countries, with maximum effect of each Euro invested.



The i-mop XL
has already
recovered over
100.000.000 liters!

i-mop XL

The i-mop XL saves litres of water. Every time it's being used. Less waste, more profit. Although the i-mop XL hardly uses any water, still the remaining water is balanced with investments in the projects of Made Blue. i-team global is a proud sponsor and acts on your behalf.

inquire

Creating better solutions begins with listening. Our insights come from collaborating with our customers in order to understand their needs.

innovate

We rethink - *from the ground up* - how things should be done. And while we harness our experience we are not constrained by conventional solutions. That's how our team of designers, engineers, manufacturing staff - *working with our customers and partners* - have fundamentally re-created the technology of cleaning.

inspire

The spirit of our enterprise is animated by a commitment to the success of our customers, our business partners, and our communities. This teamwork is only made possible through transparency, accountability and respect.



Contact

Send an email to hello@i-teamglobal.com

We can connect you to our worldwide
network of i-team members.

INQUIRE. INNOVATE. INSPIRE.

the i-team family network